ELSEVIER

Journal of Organometallic Chemistry 489 (1995) C98–C99

Journal of Organometallic Chemistry

Author Index of Volume 489

Aaliti, A., 101
Abbotto, A., 107
Ahn, S., 27
Almansour, A.I., 181
Alvarez-Larena, A., C65

Barrado, G., 129
Barry, S., 195
Bates, C.M., C60
Begley, M.J., C28
Bégué, J.-P., C7
Bertozzi, S., C50
Bikrani, M., 93
Blau, S., C17
Bochkarev, M.N., 145
Bond, M.R., C1
Boni, G., C32
Bown, M., 43
Bratt, S., C26
Buchowicz, W., C48

Canty, A.J., 153
Carrano, C.J., C1
Cenini, S., 107
Chan, S., C78
Chang, T., 23
Chatani, N., 215
Chen, C.-T., 63
Cho, S., 23
Christoffers, C., C84
Churakov, A.V., C81
Claver, C., 101
Clive, D.L.J., C35
Contreras, L., C1
Cowley, A.H., C1
Cox, P.J., 161
Crandall, J.K., 5

Davidsson, Ö., 175
Delavaux-Nicot, B., C87
Demartin, F., 107
Diller, H., 123
Dittmar, U., 185
Dötz, K.H., C84

Eaborn, C., 181
Eckert-Maksić, M., 35
Esser, L., 145

Fang, M.-C., 15
Fedushkin, I.L., 145
Fehlhammer, W.P., 27
Feulner, H., 51
Flörke, U., 185
Fujiwara, Y., 71
Fukumoto, Y., 215

Gabbaï, F.P., C1
García-Granda, S., 129
Garralda, M.A., 93
Gau, H.-M., 63
Głowiak, T., 207
Golić, M., 35
Guan, Y., C52
Guari, Y., C87

Hendan, B.J., 185
Henderson, R.A., C22
Herrmann, W.A., C56
Hilmersson, G., 175
Howie, R.A., 161
Huang, T.-Y., 63
Huffman, J.C., C4
Hung, J.-T., 1
Hursthouse, M.B., C60

Ibarlucea, L., 93
Ishii, R., C62
Ishikawa, M., 165

Jarvie, A.W.P., C26
Jin, H., 153
Jones, R.A., C1

Kaharu, T., C62
Kajiya, S., 83
Kanaya, D., 165
Keck, H., 123
Kim, K., 23
Knochel, P., C84
Kociok-Köhn, G., 145
Kondo, T., 83
Kuchen, W., 123
Kucht, A., 195
Kucht, H., 195
Kühn, F.E., C56
Kuz'mina, L.G., C81

Labbé, E., 137
Lammertsma, K., 1
Lang, H., 77, C17
Lazzaroni, R., C50
Lee, G.-H., 113
Lee, H.K., C71
Leise, M., 77
Lemenovskii, D.A., C81
Leung, W.-P., C71
Lowe, D.J., C22
Lu, Z.-R., C38
Luo, B.-S., C71

Mak, T.C.W., C71
Malik, K.M.A., C60
Malkov, A.V., C44, C74
Marsmann, H.C., 185
Masdeu, A.M., 101
Mathieu, R., C87
Matsuda, M., 15
Matsuo, F., C68
Melvin, O.A., 161
Metzler, N., 51
Miguel, D., 129
Milius, W., 201
Miyata, T., 71
Moïse, C., C32
Moldes, I., C65
Morel-Fourrier, C., 5
Morley, C.P., C60
Morris, R.J., C4
Mountford, P., C28
Murai, S., 215

Nakata, K., 71
Nöth, H., 51

Ohshima, M., C68
Ohshita, J., 165
Okamoto, M., C12
Ono, Y., C12

Pagani, G.A., 107
Papworth, T., C65
Paratian, J.M., 137
Park, J., 23
Parsons, J.P., C9
Paša-Tolić, L., 35

Pasynkiewicz, S., C48
Peng, S.-M., 113
Périchon, J., 137
Pietrzykowski, A., C48
Piniella, J.F., C65
Pinilla, E., 93
Pirio, N., C62
Pizzotti, M., 107
Pola, J., C9
Pucci, S., C50

Ragaini, F., 107
Rausch, M.D., 195
Rheinwald, G., C17
Riera, V., 129
Roberts, A.S., 153
Rock, M.H., C7
Romão, C.C., C56
Ros, J., C65
Ruiz, A., 101

Salisbury, P., C22
Sato, R., C68
Sauvageot, P., C32
Schmitzer, A., 77
Schumann, H., 145
Schwarze, B., 201
Seo, Y., 23
Settambolo, R., C50
Shaw, S.L., C4
Shen, L.-F., C38
Shen, L.-R., C38
Shyu, S.-G., 113
Sibille, S., 137
Skelton, B.W., 153
Sperber, W., 27
Stephenson, G.R., C44, C74
Sudoh, C., C68
Suzuki, E., C12
Szymańska-Buzar, T., 207

Takahashi, S., C62
Takaki, K., 71
Taniguchi, Y., 71
Tantayanon, S., 83
Tao, Y., C35
Taylor, R., C9
Traill, P.R., 153

Uno, M., C62

Wan, S., C28
Wardell, J.L., 161
Watanabe, A., 15
Watanabe, N., C12
Watanabe, T., 165
Watanabe, Y., 83
Waters, J.M., 43
Wen, Y.-S., 113
Whang, D., 23
White, A.H., 153
Wildermuth, G., C17
Wong, W.-T., C78
Wrackmeyer, B., 201
Wu, W.-J., 113
Wunderlich, H., 123

Yamaguchi, S., 215
Yamamoto, Y., C68

Zhang, C., C35
Zhang, S.-W., C62
Zhang, X.-D., C38
Zhou, Y., C35
Zhu, Z., C52
Zhuo, R.-X., C38
Zou, J., C52

ELSEVIER

Journal of Organometallic Chemistry 489 (1995) C100–C109

Journal of Organometallic Chemistry

Subject Index of Volume 489

Alcohol
Ruthenium complex-catalyzed novel transformation of alkyl formates (T. Kondo, S. Kajiya, S. Tantayanon and Y. Watanabe), 83
Aldehyde
Ring-opening silylformylation of oxetanes catalyzed by $[RhCl(CO)_2]_2$-amine (Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai), 215
Aldehyde imines
Rhodium complexes with diimines derived from glyoxal: crystal structure of $[Rh(SnCl_3)(NBD)(GCH)]$ (NBD = norbornadiene; GCH = glyoxal bis(cyclohexylimine) (M. Bikrani, M.A. Garralda, L. Ibarlucea and E. Pinilla), 93
Alkanes
Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study (K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara), 71
Alkene
Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV) (J.-P. Bégué and M.H. Rock), C7
Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), C12
Ruthenium complex-catalyzed novel transformation of alkyl formates (T. Kondo, S. Kajiya, S. Tantayanon and Y. Watanabe), 83
Alkoxides
Functionally substituted derivatives of (η^5-cyclopentadienyl)triisopropoxytitanium and (η^5-cyclopentadienyl)trichlorotitanium (S. Barry, A. Kucht, H. Kucht and M.D. Rausch), 195
Alkyl
Ruthenium complex-catalyzed novel transformation of alkyl formates (T. Kondo, S. Kajiya, S. Tantayanon and Y. Watanabe), 83
Alkyne
Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen (H. Feulner, N. Metzler und H. Nöth), 51
The structure of $[Co_2(CO)_5(\mu_2,\eta^4\text{-CPhCHCHCPh})]$ a cobalt analogue of the 'ferroles' (I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella), C65
Alkynes
Stereospecific protonation of coordinated alkynes (R.A. Henderson, D.J. Lowe and P. Salisbury), C22
Alkynylboranes
Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen (H. Feulner, N. Metzler und H. Nöth), 51
Alkynylcarbene complexes
Reaktionen von Komplexliganden. LXIII. Diethylzink-induzierte Dimerisierung von Alkinylcarbenliganden: Regioselektive Synthese eines Cyclopentenyliden-Komplexes (K.H. Dötz, C. Christoffers und P. Knochel), C84
Alkynylphosphanes
Synthese und Reaktionsverhalten Chloro-funktionalisierter Alkinyl–Phosphane; stufenweise Darstellung von σ^3,λ^4-Phosphandiyl-Komplexen mit einer Phosphor–Cobalt- bzw. Phosphor–Molybdän-Doppelbindung (H. Lang, M. Leise und A. Schmitzer), 77
Allyl
Synthetic and structural studies of methyl- and phenylpalladium(II) complexes of poly(pyrazol-1-yl)borates, and the η^3-allylpalladium(II) complex $Pd(\eta^3\text{-}C_3H_5)\{(pz)_3BH\text{-}N,N'\}$ (A.J. Canty, H. Jin, A.S. Roberts, P.R. Traill, B.W. Skelton and A.H. White), 153
Aluminium
An intramolecularly base-stabilized monomeric organoaluminum dihydride (L. Contreras, A.H. Cowley, F.P. Gabbaï, R.A. Jones, C.J. Carrano and M.R. Bond), C1
Amide
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes (B. Wrackmeyer, B. Schwarze and W. Milius), 201
Amine
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes (B. Wrackmeyer, B. Schwarze and W. Milius), 201
Aniline
New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of $[Rh(CO)_2(BBOM)]$ (HBBOM = bis(2-benzoxazolyl)methane) (F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin), 107
Arene
Ruthenium complex-catalyzed novel transformation of alkyl formates (T. Kondo, S. Kajiya, S. Tantayanon and Y. Watanabe), 83
Asymmetric induction
Solution structure of a key intermediate used in asymmetric alkylation reactions. $^1H,^1H$-NOESY and $^6Li,^1H$-HOESY studies of mixtures of a chiral lithium amide and n-butyllithium (G. Hilmersson and Ö. Davidsson), 175

Biaryl
Anomalous deprotonation of tricarbonyl(η^5-1-arylcyclohexadienyl)iron complexes (A.V. Malkov and G.R. Stephenson), C74

Bipyridine
Synthesis and characterization of triosmium-dipalladium mixed-metal cluster. Crystal structure of $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$ (S. Chan and W.-T. Wong), C78
Borane
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes (B. Wrackmeyer, B. Schwarze and W. Milius), 201
Boron
Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen (H. Feulner, N. Metzler und H. Nöth), 51
Bridging ligand
Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex $Cp(CO)_2\overline{W(\mu\text{-}PPh_2)}W(CO)_5$ (S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee), 113
Bridging naphthalene dianion
Binuclear complexes of La(III) and Eu(II) with the bridging naphthalene dianion. Synthesis and X-ray crystallographic analysis of $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][LaI_2(THF)_3]_2$ and $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][EuI(DME)_2]_2$ (I.L. Fedushkin, M.N. Bochkarev, H. Schumann, L. Esser and G. Kociok-Köhn), 145
Bromotrifluoromethane
Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides (J.M. Paratian, E. Labbé, S. Sibille and J. Périchon), 137
Bulky ligand
Preparation of $(^iPrMe_2Si)_3CH$ and its use as a source of the bulky ligand $(^iPrMe_2Si)_3C$ (A.I. Almansour and C. Eaborn), 181

Cage compounds
Funktionalisierte Octa-(propylsilsesquioxane)$(3\text{-}XC_3H_6)_8(Si_8O_{12})$ Modellverbindungen für oberflächenmodifizierte Kieselgele (U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann), 185
Carbene complex
Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl{tris(imidazol-1-yl)methylisocyanid}chrom (S. Ahn, W. Sperber und W.P. Fehlhammer), 27
Carbohydrate
X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose (P.J. Cox, R.A. Howie, O.A. Melvin and J.L. Wardell), 161
Carbon monoxide
Ring-opening silylformylation of oxetanes catalyzed by $[RhCl(CO)_2]_2$-amine (Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai), 215
Carbonyl
Anomalous deprotonation of tricarbonyl(η^5-1-arylcyclohexadienyl)iron complexes (A.V. Malkov and G.R. Stephenson), C74
Fine-tuning electrophilicity of cationic tricarbonyliron complexes (A.V. Malkov and G.R. Stephenson), C44
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) $[(CO)_4W(\mu\text{-}Cl)_3W(SnCl_3)(CO)_3]$ (T. Szymańska-Buzar and T. Głowiak), 207
Synthesis and characterization of triosmium-dipalladium mixed-metal cluster. Crystal structure of $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$ (S. Chan and W.-T. Wong), C78
Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex $Cp(CO)_2\overline{W(\mu\text{-}PPh_2)}W(CO)_5$ (S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee), 113
The structure of $[Co_2(CO)_5(\mu_2,\eta^4\text{-}CPhCHCHCPh)]$ a cobalt analogue of the 'ferroles' (I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella), C65
Carbonylation
New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of $[Rh(CO)_2(BBOM)]$ (HBBOM = bis(2-benzoxazolyl)methane) (F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin), 107
Catalysis
Preparation of carbonyl phosphine rhodium complexes with dithiolate bridges. Application as catalyst precursors in the hydroformylation of 1-hexene (A. Aaliti, A.M. Masdeu, A. Ruiz and C. Claver), 101
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine (R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni), C50
Ruthenium complex-catalyzed novel transformation of alkyl formates (T. Kondo, S. Kajiya, S. Tantayanon and Y. Watanabe), 83
Ceramics
Polymeric organosilicon systems. XXIII. Synthesis and photochemical and thermal properties of (*E*)- and (*Z*)-poly[(disilanylene)ethenylenes] (J. Ohshita, D. Kanaya, T. Watanabe and M. Ishikawa), 165
Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen (H. Lang, S. Blau, G. Rheinwald und G. Wildermuth), C17
Chromium
Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl{tris(imidazol-1-yl)methylisocyanid}chrom (S. Ahn, W. Sperber und W.P. Fehlhammer), 27
Synthesis and reactivity of the phosphido-bridged complex $[Cp_2Ta(\mu\text{-}CO)(\mu\text{-}PMe_2)Cr(CO)_4]$ (G. Boni, P. Sauvageot and C. Moïse), C32
The synthesis, characterizations and structures of Group 4 metal–chromium complexes bridged by an $OC_6H_4CH_3$ group (T.-Y. Huang, C.-T. Chen and H.-M. Gau), 63
Cluster
Novel synthesis of alkylidynetrinickel clusters (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), C48
The structure of $[Co_2(CO)_5(\mu_2,\eta^4\text{-}CPhCHCHCPh)]$ a cobalt analogue of the 'ferroles' (I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella), C65
Cobalt
The structure of $[Co_2(CO)_5(\mu_2,\eta^4\text{-}CPhCHCHCPh)]$ a cobalt analogue of the 'ferroles' (I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella), C65
Cobalt complexes
Synthese und Reaktionsverhalten Chloro-funktionalisierter Alkinyl–Phosphane; stufenweise Darstellung von σ^3,λ^4-Phosphandiyl-Komplexen mit einer Phosphor–Cobalt- bzw. Phosphor–Molybdän-Doppelbindung (H. Lang, M. Leise und A. Schmitzer), 77
Conjugation
Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties (M.-C. Fang, A. Watanabe and M. Matsuda), 15

Copper
Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry (D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao), C35
Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides (J.M. Paratian, E. Labbé, S. Sibille and J. Périchon), 137
Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core (H. Diller, H. Keck, H. Wunderlich and W. Kuchen), 123
Crystal structure
New Fe-Mo and Fe-W fulvalene-bridged heterobimetallic complexes containing the ferrocenyl unit. Crystal structure of $[(\eta\text{-}C_5H_5)Fe(\mu\text{-}\eta:\eta\text{-}C_5H_4Ind)Mo(CO)_2(\eta\text{-}C_3H_5)]$ (Ind = 1-indenyl) (S. Wan, M.J. Begley and P. Mountford), C28
Organoruthenaborane chemistry. Part 10. Preparation, molecular structure, and nuclear magnetic resonance properties of $[6,9\text{-}(\eta^6\text{-pcym})_2\text{-}nido\text{-}6,9\text{-}Ru_2B_8H_{12}]$ (M. Bown and J.M. Waters), 43
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) $[(CO)_4W(\mu\text{-}Cl)_3W(SnCl_3)(CO)_3]$ (T. Szymańska-Buzar and T. Głowiak), 207
Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core (H. Diller, H. Keck, H. Wunderlich and W. Kuchen), 123
Synthesis and characterization of triosmium-dipalladium mixed-metal cluster. Crystal structure of $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$ (S. Chan and W.-T. Wong), C78
Synthesis and structure of bis(pentamethylcyclopentadienyl)-selenium (C.M. Bates, C.P. Morley, M.B. Hursthouse and K.M.A. Malik), C60
Synthesis and structures of the mononuclear iron(II) dialkyl FeR_2 and the iron(II) dithiolate complex $[Fe(SAr)_2(RH)]$ [R = $C(SiMe_3)_2C_5H_4N$-2; Ar = 2,4,6-$^tBu_3C_6H_2$] (H.K. Lee, B.-S. Luo, T.C.W. Mak and W.-P. Leung), C71
Synthetic and structural studies of methyl- and phenylpalladium(II) complexes of poly(pyrazol-1-yl)borates, and the η^3-allylpalladium(II) complex $Pd(\eta^3\text{-}C_3H_5)\{(pz)_3BH\text{-}N,N'\}$ (A.J. Canty, H. Jin, A.S. Roberts, P.R. Traill, B.W. Skelton and A.H. White), 153
X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose (P.J. Cox, R.A. Howie, O.A. Melvin and J.L. Wardell), 161
Cuprate
Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry (D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao), C35
Cyclohexadienyl
Anomalous deprotonation of tricarbonyl(η^5-1-arylcyclohexadienyl)iron complexes (A.V. Malkov and G.R. Stephenson), C74
Fine-tuning electrophilicity of cationic tricarbonyliron complexes (A.V. Malkov and G.R. Stephenson), C44
Cyclopentadienyl
Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes (J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang), 23
Novel synthesis of alkylidynetrinickel clusters (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), C48
Stereospecific protonation of coordinated alkynes (R.A. Henderson, D.J. Lowe and P. Salisbury), C22
Synthesis and structure of bis(pentamethylcyclopentadienyl)-selenium (C.M. Bates, C.P. Morley, M.B. Hursthouse and K.M.A. Malik), C60
Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex $Cp(CO)_2W(\mu\text{-}PPh_2)W(CO)_5$ (S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee), 113
Cyclopentadienyl derivatives
Functionally substituted derivatives of (η^5-cyclopentadienyl)triisopropoxytitanium and (η^5-cyclopentadienyl)trichlorotitanium (S. Barry, A. Kucht, H. Kucht and M.D. Rausch), 195
Cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV)
Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV) (J.-P. Bégué and M.H. Rock), C7
Cyclopentenylidene complexes
Reaktionen von Komplexliganden. LXIII. Diethylzink-induzierte Dimerisierung von Alkinylcarbenliganden: Regioselektive Synthese eines Cyclopentenyliden-Komplexes (K.H. Dötz, C. Christoffers und P. Knochel), C84

Dealkylation
Arene ruthenium(II) complexes coordinated by phosphino and two phenoxide groups in tris(2,6-dimethoxyphenyl)phosphine: crystal structure of $(\eta^6\text{-}1,2,3,4\text{-}Me_4C_6H_2)Ru[P\{2,6\text{-}(MeO)_2\text{-}C_6H_3\}\{2\text{-}O\text{-}6\text{-}MeOC_6H_3\}_2]$ (Y. Yamamoto, R. Sato, M. Ohshima, F. Matsuo and C. Sudoh), C68
Deprotonation
Anomalous deprotonation of tricarbonyl(η^5-1-arylcyclohexadienyl)iron complexes (A.V. Malkov and G.R. Stephenson), C74
Dibridged complex
Synthesis and reactivity of the phosphido-bridged complex $[Cp_2Ta(\mu\text{-}CO)(\mu\text{-}PMe_2)Cr(CO)_4]$ (G. Boni, P. Sauvageot and C. Moïse), C32
Diethylzinc
Reaktionen von Komplexliganden. LXIII. Diethylzink-induzierte Dimerisierung von Alkinylcarbenliganden: Regioselektive Synthese eines Cyclopentenyliden-Komplexes (K.H. Dötz, C. Christoffers und P. Knochel), C84
Dimerization
Reaktionen von Komplexliganden. LXIII. Diethylzink-induzierte Dimerisierung von Alkinylcarbenliganden: Regioselektive Synthese eines Cyclopentenyliden-Komplexes (K.H. Dötz, C. Christoffers und P. Knochel), C84
Dinuclear
η^3-Allyl molybdenum dithiophosphate and dithiophosphinate complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of $[Mo_2(\eta^3\text{-}C_3H_5)_2(CO)_4\{S_2P(OEt)_2\}_2(\mu\text{-}NH_2NH_2)]$ (G. Barrado, D. Miguel, V. Riera and S. García-Granda), 129
Dithiolate bridges
Preparation of carbonyl phosphine rhodium complexes with dithiolate bridges. Application as catalyst precursors in the hydroformylation of 1-hexene (A. Aaliti, A.M. Masdeu, A. Ruiz and C. Claver), 101
Dithiophosphate
η^3-Allyl molybdenum dithiophosphate and dithiophosphinate complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of $[Mo_2(\eta^3\text{-}C_3H_5)_2(CO)_4\{S_2P(OEt)_2\}_2(\mu\text{-}NH_2NH_2)]$ (G. Barrado, D. Miguel, V. Riera and S. García-Granda), 129
Dithiophosphinate
η^3-Allyl molybdenum dithiophosphate and dithiophosphinate

complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of $[Mo_2(\eta^3\text{-}C_3H_5)_2(CO)_4\{S_2P(OEt)_2\}_2(\mu\text{-}NH_2NH_2)]$ (G. Barrado, D. Miguel, V. Riera and S. García-Granda), 129

Dithiophosphinato ligands
Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core (H. Diller, H. Keck, H. Wunderlich and W. Kuchen), 123

Dynamic structure
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLIII. Indenyltrioxorhenium(VII): Organometalloxid mit dynamischer Struktur (W.A. Herrmann, F.E. Kühn und C.C. Romão), C56

Electroreduction
Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides (J.M. Paratian, E. Labbé, S. Sibille and J. Périchon), 137

Europium
Binuclear complexes of La(III) and Eu(II) with the bridging naphthalene dianion. Synthesis and X-ray crystallographic analysis of $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][LaI_2(THF)_3]_2$ and $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][EuI(DME)_2]_2$ (I.L. Fedushkin, M.N. Bochkarev, H. Schumann, L. Esser and G. Kociok-Köhn), 145

Ferrocene
Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes (J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang), 23

Ferrocenyl aldehydes
$[(C_5H_5)Fe(C_5H_4CH_2NMe_2)]$ as a promoter for the synthesis of the 1,2-disubstituted ferrocenyl aldehydes $[(C_5H_5)Fe(1,2\text{-}C_5H_3(CHO)(CH_2NMe_2)]$ and $[(C_5H_5)Fe\{1,2\text{-}C_5H_3(CHO)\text{-}CH_2NMe(CH_2)_2OCH{=}CH_2\}]$ (B. Delavaux-Nicot, Y. Guari and R. Mathieu), C87

Functionalized isocyanide
Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl{tris(imidazol-1-yl)methylisocyanid}chrom (S. Ahn, W. Sperber und W.P. Fehlhammer), 27

Germanium
A novel intramolecular cyclization reaction. Synthesis and properties of 5- and 8-membered germalactones (Y. Guan, J. Zou and Z. Zhu), C52
Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes (M. Eckert-Maksić, M. Golić and L. Paša-Tolić), 35

GH activation
Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study (K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara), 71

Group 6
Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex $Cp(CO)_2\overline{W(\mu\text{-}PPh_2)W}(CO)_5$ (S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee), 113

Hafnium
Monoindenyl halides of zirconium and hafnium. The preparation of $[(\eta^5\text{-}C_9H_7)ZrCl_3]_n$ and $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ and the crystal structure of $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ (S.L. Shaw, R.J. Morris and J.C. Huffman), C4
Synthesis of sandwich and half-sandwich complexes of Ti, Zr and Hf containing $\eta^5\text{-}C_5H_4SiMe_2Cl$ ligand. Molecular structure of $[TiCl_2(\mu\text{-}OSiMe_2\text{-}\eta^5\text{-}C_5H_4)]_2$ (A.V. Churakov, D.A. Lemenovskii and L.G. Kuz'mina), C81

Halides
Monoindenyl halides of zirconium and hafnium. The preparation of $[(\eta^5\text{-}C_9H_7)ZrCl_3]_n$ and $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ and the crystal structure of $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ (S.L. Shaw, R.J. Morris and J.C. Huffman), C4

Hammett constants
Conjugative effects in $W(CO)_5$ complexed phosphirane rings illustrated by substituent effects on ^{31}P NMR chemical shifts (J.-T. Hung and K. Lammertsma), 1

Heterobimetallic
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) $[(CO)_4W(\mu\text{-}Cl)_3W(SnCl_3)(CO)_3]$ (T. Szymańska-Buzar and T. Głowiak), 207

Heterobimetallic complexes
New Fe-Mo and Fe-W fulvalene-bridged heterobimetallic complexes containing the ferrocenyl unit. Crystal structure of $[(\eta\text{-}C_5H_5)Fe(\mu\text{-}\eta\text{:}\eta\text{-}C_5H_4Ind)Mo(CO)_2(\eta\text{-}C_3H_5)]$ (Ind = 1-indenyl) (S. Wan, M.J. Begley and P. Mountford), C28

Hydrazine
η^3-Allyl molybdenum dithiophosphate and dithiophosphinate complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of $[Mo_2(\eta^3\text{-}C_3H_5)_2(CO)_4\{S_2P(OEt)_2\}_2(\mu\text{-}NH_2NH_2)]$ (G. Barrado, D. Miguel, V. Riera and S. García-Granda), 129

Hydride
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes (B. Wrackmeyer, B. Schwarze and W. Milius), 201

Hydrides
An intramolecularly base-stabilized monomeric organoaluminum dihydride (L. Contreras, A.H. Cowley, F.P. Gabbaï, R.A. Jones, C.J. Carrano and M.R. Bond), C1

Hydroformylation
Preparation of carbonyl phosphine rhodium complexes with dithiolate bridges. Application as catalyst precursors in the hydroformylation of 1-hexene (A. Aaliti, A.M. Masdeu, A. Ruiz and C. Claver), 101
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine (R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni), C50

Hydrolysis
Funktionalisierte Octa-(propylsilsesquioxane)$(3\text{-}XC_3H_6)_8(Si_8O_{12})$ Modellverbindungen für oberflächenmodifizierte Kieselgele (U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann), 185
Siloxanes from the hydrolysis of isopropyltrimethoxysilane (J.K. Crandall and C. Morel-Fourrier), 5

Hydrosilane
Ring-opening silylformylation of oxetanes catalyzed by $[RhCl(CO)_2]_2$-amine (Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai), 215

Hydrosilylation
Funktionalisierte Octa-(propylsilsesquioxane)$(3\text{-}XC_3H_6)_8(Si_8O_{12})$ Modellverbindungen für oberflächenmodifizierte Kieselgele (U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann), 185

Imidazole
Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl{tris(imidazol-1-

yl)methylisocyanid}chrom (S. Ahn, W. Sperber und W.P. Fehlhammer), 27

Indenyl

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLIII. Indenyltrioxorhenium(VII): Organometalloxid mit dynamischer Struktur (W.A. Herrmann, F.E. Kühn und C.C. Romão), C56

Indenyl derivatives

Monoindenyl halides of zirconium and hafnium. The preparation of $[(\eta^5\text{-}C_9H_7)ZrCl_3]_n$ and $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ and the crystal structure of $[(\eta^5\text{-}C_9H_7)HfCl_2(\mu\text{-}Cl)]_2$ (S.L. Shaw, R.J. Morris and J.C. Huffman), C4

Inorganic Michael systems

Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen (H. Feulner, N. Metzler und H. Nöth), 51

Iron

Anomalous deprotonation of tricarbonyl(η^5-1-arylcyclohexadienyl)iron complexes (A.V. Malkov and G.R. Stephenson), C74

$[(C_5H_5)Fe(C_5H_4CH_2NMe_2)]$ as a promoter for the synthesis of the 1,2-disubstituted ferrocenyl aldehydes $[(C_5H_5)Fe(1,2\text{-}C_5H_3(CHO)(CH_2NMe_2)]$ and $[(C_5H_5)Fe\{1,2\text{-}C_5H_3(CHO)\text{-}CH_2NMe(CH_2)_2OCH{=}CH_2\}]$ (B. Delavaux-Nicot, Y. Guari and R. Mathieu), C87

Fine-tuning electrophilicity of cationic tricarbonyliron complexes (A.V. Malkov and G.R. Stephenson), C44

New Fe-Mo and Fe-W fulvalene-bridged heterobimetallic complexes containing the ferrocenyl unit. Crystal structure of $[(\eta\text{-}C_5H_5)Fe(\mu\text{-}\eta:\eta\text{-}C_5H_4Ind)Mo(CO)_2(\eta\text{-}C_3H_5)]$ (Ind = 1-indenyl) (S. Wan, M.J. Begley and P. Mountford), C28

Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen (H. Lang, S. Blau, G. Rheinwald und G. Wildermuth), C17

Synthesis and structures of the mononuclear iron(II) dialkyl FeR_2 and the iron(II) dithiolate complex $[Fe(SAr)_2(RH)]$ [R = $C(SiMe_3)_2C_5H_4N$-2; Ar = 2,4,6-$^tBu_3C_6H_2$] (H.K. Lee, B.-S. Luo, T.C.W. Mak and W.-P. Leung), C71

Isocyanide complex

Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl{tris(imidazol-1-yl)methylisocyanid}chrom (S. Ahn, W. Sperber und W.P. Fehlhammer), 27

Isonitrile complexes

Synthesis and reactivity of the phosphido-bridged complex $[Cp_2Ta(\mu\text{-}CO)(\mu\text{-}PMe_2)Cr(CO)_4]$ (G. Boni, P. Sauvageot and C. Moïse), C32

Lactones

A novel intramolecular cyclization reaction. Synthesis and properties of 5- and 8-membered germalactones (Y. Guan, J. Zou and Z. Zhu), C52

Lanthanum

Binuclear complexes of La(III) and Eu(II) with the bridging naphthalene dianion. Synthesis and X-ray crystallographic analysis of $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][LaI_2(THF)_3]_2$ and $[\mu_2\text{-}\eta^4\text{:}\eta^4\text{-}C_{10}H_8][EuI(DME)_2]_2$ (I.L. Fedushkin, M.N. Bochkarev, H. Schumann, L. Esser and G. Kociok-Köhn), 145

Laser photolysis

ArF laser photolysis of tetraethyl- and tetravinyl-silane (J. Pola, J.P. Parsons and R. Taylor), C9

Liquid-phase reaction

Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), C12

Lithium

Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry (D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao), C35

Novel synthesis of alkylidynetrinickel clusters (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), C48

Solution structure of a key intermediate used in asymmetric alkylation reactions. $^1H,^1H$-NOESY and $^6Li,^1H$-HOESY studies of mixtures of a chiral lithium amide and n-butyllithium (G. Hilmersson and Ö. Davidsson), 175

Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties (M.-C. Fang, A. Watanabe and M. Matsuda), 15

Mechanism

Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides (J.M. Paratian, E. Labbé, S. Sibille and J. Périchon), 137

Stereospecific protonation of coordinated alkynes (R.A. Henderson, D.J. Lowe and P. Salisbury), C22

The effect of α-chloro substitution on the reactivity of β-functional silanes (S. Bratt and A.W.P. Jarvie), C26

Metallaborane

Organoruthenaborane chemistry. Part 10. Preparation, molecular structure, and nuclear magnetic resonance properties of $[6,9\text{-}(\eta^6\text{-pcym})_2\text{-}nido\text{-}6,9\text{-}Ru_2B_8H_{12}]$ (M. Bown and J.M. Waters), 43

Metallacycle

The structure of $[Co_2(CO)_5(\mu_2,\eta^4\text{-}CPhCHCHCPh)]$ a cobalt analogue of the 'ferroles' (I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella), C65

Metal–metal bond

Synthesis and reactivity of the phosphido-bridged complex $[Cp_2Ta(\mu\text{-}CO)(\mu\text{-}PMe_2)Cr(CO)_4]$ (G. Boni, P. Sauvageot and C. Moïse), C32

Metal–sulfur-clusters

Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core (H. Diller, H. Keck, H. Wunderlich and W. Kuchen), 123

Methane

Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study (K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara), 71

Methanol

Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), C12

MO calculations

Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes (M. Eckert-Maksić, M. Golić and L. Paša-Tolić), 35

Molecular structure

X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose (P.J. Cox, R.A. Howie, O.A. Melvin and J.L. Wardell), 161

Molybdenum

η^3-Allyl molybdenum dithiophosphate and dithiophosphinate complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of $[Mo_2(\eta^3\text{-}C_3H_5)_2(CO)_4\{S_2P(OEt)_2\}_2(\mu\text{-}NH_2NH_2)]$ (G. Barrado, D. Miguel, V. Riera and S. García-Granda), 129

New Fe-Mo and Fe-W fulvalene-bridged heterobimetallic complexes containing the ferrocenyl unit. Crystal structure of

[(η-C_5H_5)Fe(μ-η : η-C_5H_4Ind)Mo(CO)$_2$(η-C_3H_5)] (Ind = 1-indenyl) (S. Wan, M.J. Begley and P. Mountford), C28
Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen (H. Lang, S. Blau, G. Rheinwald und G. Wildermuth), C17
Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core (H. Diller, H. Keck, H. Wunderlich and W. Kuchen), 123

Neutral *trans*-bis(carbene) complex
Syntheses and X-ray crystal structures of neutral *trans*-bis(diamino-carbene)platinum(II) complexes (S.-W. Zhang, T. Kaharu, N. Pirio, R. Ishii, M. Uno and S. Takahashi), C62
Nickel
Novel synthesis of alkylidynetrinickel clusters (S. Pasynkiewicz, W. Buchowicz and A. Pietrzykowski), C48
Nitrobenzene
New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of [Rh(CO)$_2$(BBOM)] (HBBOM = bis(2-benzoxazolyl)methane) (F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin), 107
Nitrogen base
New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of [Rh(CO)$_2$(BBOM)] (HBBOM = bis(2-benzoxazolyl)methane) (F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin), 107
NMR
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLIII. Indenyltrioxorhenium(VII): Organometalloxid mit dynamischer Struktur (W.A. Herrmann, F.E. Kühn und C.C. Romão), C56
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes (B. Wrackmeyer, B. Schwarze and W. Milius), 201
Nuclear magnetic resonance
Conjugative effects in W(CO)$_5$ complexed phosphirane rings illustrated by substituent effects on ^{31}P NMR chemical shifts (J.-T. Hung and K. Lammertsma), 1
Siloxanes from the hydrolysis of isopropyltrimethoxysilane (J.K. Crandall and C. Morel-Fourrier), 5
Solution structure of a key intermediate used in asymmetric alkylation reactions. ^{1}H,^{1}H-NOESY and ^{6}Li,^{1}H-HOESY studies of mixtures of a chiral lithium amide and n-butyllithium (G. Hilmersson and Ö. Davidsson), 175
Nucleophilic attack
Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen (H. Feulner, N. Metzler und H. Nöth), 51

Octasilsesquioxanes
Funktionalisierte Octa-(propylsilsesquioxane)(3-XC_3H_6)$_8$(Si_8O_{12}) Modellverbindungen für oberflächenmodifizierte Kieselgele (U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann), 185
Organoboron compounds
Beiträge zur Chemie des Bors, 226: Funktionalisierung von Alkinylboranen-Umsetzung mit Nucleophilen (H. Feulner, N. Metzler und H. Nöth), 51
Organotin
X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose (P.J. Cox, R.A. Howie, O.A. Melvin and J.L. Wardell), 161
Ortho-metallation
Syntheses and X-ray crystal structures of neutral *trans*-bis(diamino-carbene)platinum(II) complexes (S.-W. Zhang, T. Kaharu, N. Pirio, R. Ishii, M. Uno and S. Takahashi), C62
Osmium
Synthesis and characterization of triosmium-dipalladium mixed-metal cluster. Crystal structure of [{(bipy)Pd}$_2$Os$_3$(CO)$_{12}$] (S. Chan and W.-T. Wong), C78
Oxetane
Ring-opening silylformylation of oxetanes catalyzed by [RhCl(CO)$_2$]$_2$-amine (Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai), 215
Oxidative addition
Photochemical reaction of W(CO)$_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) [(CO)$_4$W(μ-Cl)$_3$W($SnCl_3$)(CO)$_3$] (T. Szymańska-Buzar and T. Głowiak), 207

Palladium
Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study (K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara), 71
New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of [Rh(CO)$_2$(BBOM)] (HBBOM = bis(2-benzoxazolyl)methane) (F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin), 107
Synthesis and characterization of triosmium-dipalladium mixed-metal cluster. Crystal structure of [{(bipy)Pd}$_2$Os$_3$(CO)$_{12}$] (S. Chan and W.-T. Wong), C78
Synthetic and structural studies of methyl- and phenylpalladium(II) complexes of poly(pyrazol-1-yl)borates, and the η^3-allylpalladium(II) complex Pd(η^3-C_3H_5)[(pz)$_3$BH-*N*,*N*'] (A.J. Canty, H. Jin, A.S. Roberts, P.R. Traill, B.W. Skelton and A.H. White), 153
π-bonding
Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex Cp(CO)$_2$W(μ-PPh_2)W(CO)$_5$ (S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee), 113
The structure of [Co_2(CO)$_5$(μ_2,η^4-CPhCHCHCPh)] a cobalt analogue of the 'ferroles' (I. Moldes, T. Papworth, J. Ros, A. Alvarez-Larena and J.F. Piniella), C65
P–Co double bond
Synthese und Reaktionsverhalten Chloro-funktionalisierter Alkinyl–Phosphane; stufenweise Darstellung von σ^3,λ^4-Phosphandiyl-Komplexen mit einer Phosphor–Cobalt- bzw. Phosphor–Molybdän-Doppelbindung (H. Lang, M. Leise und A. Schmitzer), 77
Perfluoroalkene
Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV) (J.-P. Bégué and M.H. Rock), C7
Phosphido bridges
Synthesis and reactivity of the phosphido-bridged complex [Cp_2Ta(μ-CO)(μ-PMe_2)Cr(CO)$_4$] (G. Boni, P. Sauvageot and C. Moïse), C32
Phosphinidene
Conjugative effects in W(CO)$_5$ complexed phosphirane rings illustrated by substituent effects on ^{31}P NMR chemical shifts (J.-T. Hung and K. Lammertsma), 1
Photoelectron spectra
Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes (M. Eckert-Maksić, M. Golić and L. Paša-Tolić), 35

Photolysis
Polymeric organosilicon systems. XXIII. Synthesis and photochemical and thermal properties of (*E*)- and (*Z*)-poly[(disilanylene)ethenylenes] (J. Ohshita, D. Kanaya, T. Watanabe and M. Ishikawa), 165
Platinum
Syntheses and X-ray crystal structures of neutral *trans*-bis(diamino-carbene)platinum(II) complexes (S.-W. Zhang, T. Kaharu, N. Pirio, R. Ishii, M. Uno and S. Takahashi), C62
P–Mo double bond
Synthese und Reaktionsverhalten Chloro-funktionalisierter Alkinyl–Phosphane; stufenweise Darstellung von σ^3,λ^4-Phosphandiyl-Komplexen mit einer Phosphor–Cobalt- bzw. Phosphor–Molybdän-Doppelbindung (H. Lang, M. Leise und A. Schmitzer), 77
Polymer
Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes (J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang), 23
Polymeric organosilicon systems. XXIII. Synthesis and photochemical and thermal properties of (*E*)- and (*Z*)-poly[(disilanylene)ethenylenes] (J. Ohshita, D. Kanaya, T. Watanabe and M. Ishikawa), 165
Poly(pyrazol-1-yl)borates
Synthetic and structural studies of methyl- and phenylpalladium(II) complexes of poly(pyrazol-1-yl)borates, and the η^3-allylpalladium(II) complex Pd(η^3-C_3H_5){$(pz)_3BH$-*N*,*N'*} (A.J. Canty, H. Jin, A.S. Roberts, P.R. Traill, B.W. Skelton and A.H. White), 153
Polysilane
Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes (J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang), 23
Preceramics
Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen (H. Lang, S. Blau, G. Rheinwald und G. Wildermuth), C17
Propane
Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study (K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara), 71
Pyridine
Synthesis and structures of the mononuclear iron(II) dialkyl FeR_2 and the iron(II) dithiolate complex [$Fe(SAr)_2(RH)$] [R = $C(SiMe_3)_2C_5H_4N$-2; Ar = 2,4,6-$^tBu_3C_6H_2$] (H.K. Lee, B.-S. Luo, T.C.W. Mak and W.-P. Leung), C71
2-(2-Pyridyl)propanal
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine (R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni), C50
Pyrolysis
Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen (H. Lang, S. Blau, G. Rheinwald und G. Wildermuth), C17

α-Regioselectivity
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine (R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni), C50
Rhenium
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXLIII. Indenyltrioxorhenium(VII): Organometalloxid mit dynamischer Struktur (W.A. Herrmann, F.E. Kühn und C.C. Romão), C56
Rhodium
New chelating nitrogen ligands and their application to the catalytic reduction of nitrobenzene to aniline. X-ray structure of [$Rh(CO)_2$(BBOM)] (HBBOM = bis(2-benzoxazolyl)methane) (F. Ragaini, M. Pizzotti, S. Cenini, A. Abbotto, G.A. Pagani and F. Demartin), 107
Preparation of carbonyl phosphine rhodium complexes with dithiolate bridges. Application as catalyst precursors in the hydroformylation of 1-hexene (A. Aaliti, A.M. Masdeu, A. Ruiz and C. Claver), 101
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine (R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni), C50
Rhodium complexes with diimines derived from glyoxal: crystal structure of [$Rh(SnCl_3)$(NBD)(GCH)] (NBD = norbornadiene; GCH = glyoxal bis(cyclohexylimine) (M. Bikrani, M.A. Garralda, L. Ibarlucea and E. Pinilla), 93
Ring-opening silylformylation of oxetanes catalyzed by [$RhCl(CO)_2]_2$-amine (Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai), 215
Ruthenium
Arene ruthenium(II) complexes coordinated by phosphino and two phenoxide groups in tris(2,6-dimethoxyphenyl)phosphine: crystal structure of (η^6-1,2,3,4-$Me_4C_6H_2$)Ru[P{2,6-$(MeO)_2$-C_6H_3}{2-O-6-$MeOC_6H_3$}$_2$] (Y. Yamamoto, R. Sato, M. Ohshima, F. Matsuo and C. Sudoh), C68
Organoruthenaborane chemistry. Part 10. Preparation, molecular structure, and nuclear magnetic resonance properties of [6,9-(η^6-pcym)$_2$-*nido*-6,9-$Ru_2B_8H_{12}$] (M. Bown and J.M. Waters), 43
Ruthenium complex-catalyzed novel transformation of alkyl formates (T. Kondo, S. Kajiya, S. Tantayanon and Y. Watanabe), 83

Selenium
Synthesis and structure of bis(pentamethylcyclopentadienyl)-selenium (C.M. Bates, C.P. Morley, M.B. Hursthouse and K.M.A. Malik), C60
Silane
Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), C12
Silatrane compounds
Synthesis and characterization of (4S)-1-chloroalkylsilatrane-4-carboxylic acids; crystal structures of (3R,4S)-1-chloromethyl-3-methylsilatrane-4-carboxylic acid and (3R,4S)-1-(3-chloropropyl)-3-methylsilatrane-4-carboxylic acid (Z.-R. Lu, R.-X. Zhuo, L.-R. Shen, X.-D. Zhang and L.-F. Shen), C38
Silicon
Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry (D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao), C35
ArF laser photolysis of tetraethyl- and tetravinyl-silane (J. Pola, J.P. Parsons and R. Taylor), C9
Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), C12
Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes (J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang), 23

Funktionalisierte Octa-(propylsilsesquioxane)$(3\text{-}XC_3H_6)_8(Si_8O_{12})$ Modellverbindungen für oberflächenmodifizierte Kieselgele (U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann), 185

Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes (M. Eckert-Maksić, M. Golić and L. Paša-Tolić), 35

Polymeric organosilicon systems. XXIII. Synthesis and photochemical and thermal properties of (*E*)- and (*Z*)-poly[(disilanylene)ethenylenes] (J. Ohshita, D. Kanaya, T. Watanabe and M. Ishikawa), 165

Preparation of $(^iPrMe_2Si)_3CH$ and its use as a source of the bulky ligand $(^iPrMe_2Si)_3C$ (A.I. Almansour and C. Eaborn), 181

Siloxanes from the hydrolysis of isopropyltrimethoxysilane (J.K. Crandall and C. Morel-Fourrier), 5

Synthesis and characterization of (4S)-1-chloroalkylsilatrane-4-carboxylic acids; crystal structures of (3R,4S)-1-chloromethyl-3-methylsilatrane-4-carboxylic acid and (3R,4S)-1-(3-chloropropyl)-3-methylsilatrane-4-carboxylic acid (Z.-R. Lu, R.-X. Zhuo, L.-R. Shen, X.-D. Zhang and L.-F. Shen), C38

Synthesis and structures of the mononuclear iron(II) dialkyl FeR_2 and the iron(II) dithiolate complex $[Fe(SAr)_2(RH)]$ [R = $C(SiMe_3)_2C_5H_4N$-2; Ar = 2,4,6-$^tBu_3C_6H_2$] (H.K. Lee, B.-S. Luo, T.C.W. Mak and W.-P. Leung), C71

Synthesis of sandwich and half-sandwich complexes of Ti, Zr and Hf containing η^5-$C_5H_4SiMe_2Cl$ ligand. Molecular structure of $[TiCl_2(\mu\text{-}OSiMe_2\text{-}\eta^5\text{-}C_5H_4)]_2$ (A.V. Churakov, D.A. Lemenovskii and L.G. Kuz'mina), C81

Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties (M.-C. Fang, A. Watanabe and M. Matsuda), 15

The effect of α-chloro substitution on the reactivity of β-functional silanes (S. Bratt and A.W.P. Jarvie), C26

Silicon carbide

ArF laser photolysis of tetraethyl- and tetravinyl-silane (J. Pola, J.P. Parsons and R. Taylor), C9

Siloxanes

Siloxanes from the hydrolysis of isopropyltrimethoxysilane (J.K. Crandall and C. Morel-Fourrier), 5

Silylene

Direct synthesis of ethylmethoxysilanes by the liquid-phase reaction of silicon, methanol and ethylene (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), C12

Silylene–phenylene

Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties (M.-C. Fang, A. Watanabe and M. Matsuda), 15

Silylene–thienylene

Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties (M.-C. Fang, A. Watanabe and M. Matsuda), 15

Silylformylation

Ring-opening silylformylation of oxetanes catalyzed by $[RhCl(CO)_2]_2$-amine (Y. Fukumoto, S. Yamaguchi, N. Chatani and S. Murai), 215

Solvent effects

Fine-tuning electrophilicity of cationic tricarbonyliron complexes (A.V. Malkov and G.R. Stephenson), C44

Stereochemistry

Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry (D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao), C35

Steric hindrance

Preparation of $(^iPrMe_2Si)_3CH$ and its use as a source of the bulky ligand $(^iPrMe_2Si)_3C$ (A.I. Almansour and C. Eaborn), 181

Synthesis

$[(C_5H_5)Fe(C_5H_4CH_2NMe_2)]$ as a promoter for the synthesis of the 1,2-disubstituted ferrocenyl aldehydes $[(C_5H_5)Fe(1,2\text{-}C_5H_3(CHO)(CH_2NMe_2)]$ and $[(C_5H_5)Fe\{1,2\text{-}C_5H_3(CHO)\text{-}CH_2NMe(CH_2)_2OCH{=}CH_2\}]$ (B. Delavaux-Nicot, Y. Guari and R. Mathieu), C87

Synthesis and properties

A novel intramolecular cyclization reaction. Synthesis and properties of 5- and 8-membered germalactones (Y. Guan, J. Zou and Z. Zhu), C52

Tantalum

Synthesis and reactivity of the phosphido-bridged complex $[Cp_2Ta(\mu\text{-}CO)(\mu\text{-}PMe_2)Cr(CO)_4]$ (G. Boni, P. Sauvageot and C. Moïse), C32

Tetraethylsilane

ArF laser photolysis of tetraethyl- and tetravinyl-silane (J. Pola, J.P. Parsons and R. Taylor), C9

Tetravinylsilane

ArF laser photolysis of tetraethyl- and tetravinyl-silane (J. Pola, J.P. Parsons and R. Taylor), C9

Thermochromism

Synthesis of silylene–phenylene and silylene–thienylene copolymers and their optical properties (M.-C. Fang, A. Watanabe and M. Matsuda), 15

Thiolate

Synthesis and structures of the mononuclear iron(II) dialkyl FeR_2 and the iron(II) dithiolate complex $[Fe(SAr)_2(RH)]$ [R = $C(SiMe_3)_2C_5H_4N$-2; Ar = 2,4,6-$^tBu_3C_6H_2$] (H.K. Lee, B.-S. Luo, T.C.W. Mak and W.-P. Leung), C71

Tin

Photochemical reaction of $W(CO)_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) $[(CO)_4W(\mu\text{-}Cl)_3W(SnCl_3)(CO)_3]$ (T. Szymańska-Buzar and T. Głowiak), 207

Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes (M. Eckert-Maksić, M. Golić and L. Paša-Tolić), 35

Rhodium complexes with diimines derived from glyoxal: crystal structure of $[Rh(SnCl_3)(NBD)(GCH)]$ (NBD = norbornadiene; GCH = glyoxal bis(cyclohexylimine) (M. Bikrani, M.A. Garralda, L. Ibarlucea and E. Pinilla), 93

X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose (P.J. Cox, R.A. Howie, O.A. Melvin and J.L. Wardell), 161

Titanium

Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV) (J.-P. Bégué and M.H. Rock), C7

Functionally substituted derivatives of (η^5-cyclopentadienyl)triisopropoxytitanium and (η^5-cyclopentadienyl)trichlorotitanium (S. Barry, A. Kucht, H. Kucht and M.D. Rausch), 195

Synthesis of sandwich and half-sandwich complexes of Ti, Zr and Hf containing η^5-$C_5H_4SiMe_2Cl$ ligand. Molecular structure of $[TiCl_2(\mu\text{-}OSiMe_2\text{-}\eta^5\text{-}C_5H_4)]_2$ (A.V. Churakov, D.A. Lemenovskii and L.G. Kuz'mina), C81

The synthesis, characterizations and structures of Group 4 metal–chromium complexes bridged by an $OC_6H_4CH_3$ group (T.-Y. Huang, C.-T. Chen and H.-M. Gau), 63

Trichlorostannate

Rhodium complexes with diimines derived from glyoxal: crystal

structure of [Rh($SnCl_3$)(NBD)(GCH)] (NBD = norbornadiene; GCH = glyoxal bis(cyclohexylimine) (M. Bikrani, M.A. Garralda, L. Ibarlucea and E. Pinilla), 93

(Trifluoromethyl)copper complexes
Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides (J.M. Paratian, E. Labbé, S. Sibille and J. Périchon), 137

Trifluoromethyl derivatives
Electrosynthesis of (trifluoromethyl)copper complexes from bromotrifluoromethane: reactivities with various organic halides (J.M. Paratian, E. Labbé, S. Sibille and J. Périchon), 137

(Trifluoromethyl)-vinylsilanes
Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV) (J.-P. Bégué and M.H. Rock), C7

Tris(2,6-dimethoxyphenyl)phosphine
Arene ruthenium(II) complexes coordinated by phosphino and two phenoxide groups in tris(2,6-dimethoxyphenyl)phosphine: crystal structure of (η^6-1,2,3,4-$Me_4C_6H_2$)Ru[P{2,6-$(MeO)_2$-C_6H_3}{2-O-6-$MeOC_6H_3$}$_2$] (Y. Yamamoto, R. Sato, M. Ohshima, F. Matsuo and C. Sudoh), C68

Tungsten
Conjugative effects in $W(CO)_5$ complexed phosphirane rings illustrated by substituent effects on ^{31}P NMR chemical shifts (J.-T. Hung and K. Lammertsma), 1
New Fe-Mo and Fe-W fulvalene-bridged heterobimetallic complexes containing the ferrocenyl unit. Crystal structure of [(η-C_5H_5)Fe(μ-η : η-C_5H_4Ind)Mo$(CO)_2$(η-C_3H_5)] (Ind = 1-indenyl) (S. Wan, M.J. Begley and P. Mountford), C28
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. I. Synthesis and X-ray structure of tri-μ-chloro-trichlorostannate-heptacarbonylditungsten(II) [$(CO)_4W(\mu\text{-}Cl)_3W(SnCl_3)(CO)_3$] (T. Szymańska-Buzar and T. Głowiak), 207
Pyrolyse von Übergangsmetallkomplexen: Darstellung von Metallcarbiden (MC, M_2C) aus metallorganischen Verbindungen (H. Lang, S. Blau, G. Rheinwald und G. Wildermuth), C17
Reaktionen von Komplexliganden. LXIII. Diethylzink-induzierte Dimerisierung von Alkinylcarbenliganden: Regioselektive Synthese eines Cyclopentenyliden-Komplexes (K.H. Dötz, C. Christoffers und P. Knochel), C84
Stepwise synthesis of "trimetallic" dithiophosphinato clusters containing a cubane-type Mo_2WCuS_4 cluster core (H. Diller, H. Keck, H. Wunderlich and W. Kuchen), 123
Synthesis, structure and substitution reactions of the binuclear phosphido-bridged complex $Cp(CO)_2\overline{W(\mu\text{-}PPh_2)}\dot{W}(CO)_5$ (S.-G. Shyu, W.-J. Wu, Y.-S. Wen, S.-M. Peng and G.-H. Lee), 113

Vanadium
Stereospecific protonation of coordinated alkynes (R.A. Henderson, D.J. Lowe and P. Salisbury), C22

Vinyl
Stereospecific protonation of coordinated alkynes (R.A. Henderson, D.J. Lowe and P. Salisbury), C22

Vinylcyclopropenes
Photoelectron spectroscopic study of novel Group 14 functionalized vinylcyclopropenes (M. Eckert-Maksić, M. Golić and L. Paša-Tolić), 35

Vinyl epoxide
Addition of dimethylphenylsilyl cuprates to vinyl epoxides: Effect of cuprate stoichiometry on stereochemistry and regiochemistry (D.L.J. Clive, C. Zhang, Y. Zhou and Y. Tao), C35

Vinylpyridines
Remarkable α-regioselectivity in the rhodium-catalyzed hydroformylation of 2-vinylpyridine (R. Settambolo, S. Pucci, S. Bertozzi and R. Lazzaroni), C50

Vinylsilanes
Conversion of trifluoromethyl carbonyl compounds to the corresponding vinylsilanes with cyclopentadienyl*tris*(trimethylsilylmethyl)titanium(IV) (J.-P. Bégué and M.H. Rock), C7

Vis-UV
Carboxylation of gaseous alkanes with CO catalyzed by Pd–Cu-based catalysts: a spectroscopic study (K. Nakata, T. Miyata, Y. Taniguchi, K. Takaki and Y. Fujiwara), 71

X-ray diffraction
Formation of 1,1,12,12-Tetramethyl[1.1]silaferrocenophane and poly(ferrocenylsilane) in the reaction of ferrous chloride with the dilithium salt of dicyclopentadienyldimethylsilanes (J. Park, Y. Seo, S. Cho, D. Whang, K. Kim and T. Chang), 23
Reactions between tetraalkyldiboranes(6) and disilazanes – A convenient route to N-silylamino-dialkylboranes (B. Wrackmeyer, B. Schwarze and W. Milius), 201
X-ray and NMR study of the structure of the organotin carbohydrate: 6-Deoxy-1,2-*O*-isopropylidene-6-(triphenylstannyl)-α-D-glucofuranose (P.J. Cox, R.A. Howie, O.A. Melvin and J.L. Wardell), 161

X-ray structure
η^3-Allyl molybdenum dithiophosphate and dithiophosphinate complexes with uni- and bidentate nitrogen donor ligands. X-ray structure of [Mo_2(η^3-C_3H_5)$_2$$(CO)_4${$S_2P(OEt)_2$}$_2$($\mu$-$NH_2NH_2$)] (G. Barrado, D. Miguel, V. Riera and S. García-Granda), 129
An intramolecularly base-stabilized monomeric organoaluminum dihydride (L. Contreras, A.H. Cowley, F.P. Gabbaï, R.A. Jones, C.J. Carrano and M.R. Bond), C1
Binuclear complexes of La(III) and Eu(II) with the bridging naphthalene dianion. Synthesis and X-ray crystallographic analysis of [μ_2-η^4:η^4-$C_{10}H_8$][$LaI_2(THF)_3$]$_2$ and [μ_2-η^4:η^4-$C_{10}H_8$][$EuI(DME)_2$]$_2$ (I.L. Fedushkin, M.N. Bochkarev, H. Schumann, L. Esser and G. Kociok-Köhn), 145
Funktionalisierte Octa-(propylsilsesquioxane)(3-XC_3H_6)$_8$(Si_8O_{12}) Modellverbindungen für oberflächenmodifizierte Kieselgele (U. Dittmar, B.J. Hendan, U. Flörke und H.C. Marsmann), 185
Reaktionen am koordinierten Trichlormethylisocyanid VI. Synthese und Reaktionen von Pentacarbonyl{tris(imidazol-1-yl)methylisocyanid}chrom (S. Ahn, W. Sperber und W.P. Fehlhammer), 27
Rhodium complexes with diimines derived from glyoxal: crystal structure of [Rh($SnCl_3$)(NBD)(GCH)] (NBD = norbornadiene; GCH = glyoxal bis(cyclohexylimine) (M. Bikrani, M.A. Garralda, L. Ibarlucea and E. Pinilla), 93

Zirconium
Monoindenyl halides of zirconium and hafnium. The preparation of [(η^5-C_9H_7)$ZrCl_3$]$_n$ and [(η^5-C_9H_7)$HfCl_2$(μ-Cl)]$_2$ and the crystal structure of [(η^5-C_9H_7)$HfCl_2$(μ-Cl)]$_2$ (S.L. Shaw, R.J. Morris and J.C. Huffman), C4
Synthesis of sandwich and half-sandwich complexes of Ti, Zr and Hf containing η^5-$C_5H_4SiMe_2Cl$ ligand. Molecular structure of [$TiCl_2$(μ-$OSiMe_2$-η^5-C_5H_4)]$_2$ (A.V. Churakov, D.A. Lemenovskii and L.G. Kuz'mina), C81
The synthesis, characterizations and structures of Group 4 metal–chromium complexes bridged by an $OC_6H_4CH_3$ group (T.-Y. Huang, C.-T. Chen and H.-M. Gau), 63

Book Reviews
Chemistry of Iron, J. Silver (ed.) (J.D. Smith), C95
Coordination Chemistry of Aluminium, G.H. Robinson (ed.) (J.D. Smith), C92

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Gallium Supplement Volume D1, J-C. Maire, K. Greiner, M. Kotowski, V. Kruppa, M. Mirbach, E. Schleitzer-Rust and D. Tille (J.D. Smith), C93

Gmelin–Durrer Metallurgy of Iron Vol 11 practice of Steelmaking 5 Continuous Casting, H. Hiebler (ed.) (J.D. Smith), C95

Lanthanides in Organic Synthesis, Tsuneo Imamoto (M.F. Lappert), C94

New Aspects of Organic Chemistry II: Organic Synthesis for Materials and Life Sciences, Z. Yoshida and Y. Ohshiro (eds.) (S.G. Davies), C91

Tellurium in Organic Synthesis, N. Petragnani (W.R. McWhinnie), C96

Transition Metals in the Synthesis of Complex Organic Molecules, Louis S. Hegedus (J.R. Hanson), C93